


Aluminum Angle

5086-H111 Structural Angle



- Specifications: ASTM B 221
- Stocked in 25 foot lengths

Leg (A)	Leg (B)	Thickness (C)	Radius (R ₁)	Radius (R ₂)	Lbs Ft	Lbs/Length	Part Number
1	1	$\frac{1}{8}$.125	.094	.274	6.850	630083
1	1	$\frac{1}{4}$.125	.094	.500	12.500	630091
1 $\frac{1}{2}$	1 $\frac{1}{2}$	$\frac{1}{8}$.188	.125	.421	10.525	630106
1 $\frac{1}{2}$	1 $\frac{1}{2}$	$\frac{3}{16}$.188	.125	.608	15.200	630114
1 $\frac{1}{2}$	1 $\frac{1}{2}$	$\frac{1}{4}$.188	.125	.794	19.850	630122
2	1 $\frac{1}{2}$	$\frac{3}{16}$.188	.125	.718	17.950	631681
2	2	$\frac{1}{8}$.250	.125	.577	14.425	630130
2	2	$\frac{3}{16}$.250	.125	.833	20.825	630148
2	2	$\frac{1}{4}$.250	.250	1.088	27.200	630156
2	2	$\frac{3}{8}$.250	.125	1.558	38.950	630164
2 $\frac{1}{2}$	2 $\frac{1}{2}$	$\frac{1}{4}$.250	.125	1.372	34.300	630172
3	2	$\frac{3}{16}$.312	.188	1.040	26.000	631699
3	2	$\frac{3}{8}$.312	.250	2.005	50.125	630180
3	3	$\frac{1}{8}$.312	.250	.834	20.850	630198
3	3	$\frac{3}{16}$.312	.250	1.254	31.350	630203
3	3	$\frac{1}{4}$.312	.250	1.646	41.150	630211
3	3	$\frac{3}{8}$.312	.250	2.431	60.775	630229
4	2	$\frac{1}{4}$.375	.250	1.690	42.250	631704
4	4	$\frac{1}{4}$.375	.250	2.234	55.850	630237
4	4	$\frac{1}{2}$.375	.250	4.413	110.325	630245
6	6	$\frac{1}{4}$.500	.375	3.309	82.725	630253
6	6	$\frac{1}{2}$.500	.375	6.619	165.475	630261

Dimensions are in inches. All weights are approximate.